STATEMENT OF WORK FOR THE Rebuild of the Converter, Telephone Signal, CV-3478/TTC NSN 5805-01-127-6943

- 1.0 <u>SCOPE</u>. This document contains requirements to restore the CV-3478/TTC, NSN 5805-01-127-6943, CAGE 80063, Part Number SM-D-810470-3, to Condition Code "A". Condition Code "A" is defined as "serviceable/issueable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issueable to all customers without limitation or restriction, including materiel with more than 6 months shelf-life remaining".
- 1.1 This Statement of Work (SOW) identifies the work effort including repair, testing, and packaging/marking requirements that shall be performed by the contractor to rebuild the CV-3478/TTC, NSN 5805-01-127-6943, CAGE 80063, Part Number SM-D-810470-3.
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129 Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A NAVICP Instruction: Requisitioning of Contractor

Furnished Material from the Federal Supply System

TM 11-5805-715-34P MS Converter, Telephone CV-3478/TTC

SM-D-810470 Converter, Telephone Signal CV-3478/TTC

2.3 Industry Standard

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 The Contractor shall rebuild the CV-3478/TTC, NSN 5805-01-127-6943, CAGE 80063, Part Number SM-D-810470-3 in accordance with TM 11-5805-715-34P MS and Engineering Drawing SM-D-810470.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired/restored under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged to level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI, Electronic Equipment. Items being prepared domestic shipment and for immediate use shall be prepared to level "B" requirements.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control.</u> The Contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)
 GFE is government owned equipment authorized by contract for use by a commercial/
 government contractor. It is neither consumed during the production nor incorporated into any
 product. GFM is materiel furnished to a contractor that will be consumed during the course of
 production or incorporated into product being manufactured/remanufactured under a

contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 822), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

- 3.5 <u>Quality Assurances Provisions.</u> The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden astimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Departions and Reports (0701-0188), 1215-Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any pendity for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

. CONTRACT LINE	ITEM NO.	B. EXHIBIT	r	C. CATEGORY:		×				
. SYSTEM/ITEM			E. CONTRACT/PR	NO.	F. CONTRA					
	one Sign, CV-34	78/TTC		••						
DATA ITEM NO.	2. TITLE OF DATA ITEM		<u></u>		3. SUBTITLE					17. PRIC
A001		Request	For Deviation			Configuration Ma	nageme	ent		
AUTHORITY /Data Acquis			5. CONTRACT REFEREN			B. REQUIRING OFFICE	. (00.5)			18. ESTI
	CMAN-80640B	.,		SOW 3.3		MCLB.	A (825))		
DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUEN	cy ASREQ	12. DATE OF FIRST SUBMISS		14. DISTRIBUTION				ij
L I	_			13. DATE OF SUBSEQUENT	. 10	_		b. COPIES		
IPP CODE	A	11. AS OF DA	It.	SUBMISSION		a. AODRESSEE	Draft	1	nal I	
REMARKS						MCI DA (935.2)	0	Reg	Repro	i
k 4 - Contra	ctor format is aut	horized.				MCLBA (825-2)	1 0	l	0	
ks 10 & 12 -	- RFDs shall be so g material which o	ubmitted	to obtain auth	orization to deliv	er	••	1			
nconforming cumentation	g material which	does not i	meet prescribe	ed configuration		· · · · · · · · · · · · · · · · · · ·			<u>†</u>	
		ئەئمىم		Nin 20 automis :					† · · · —	
eipt by the	reviewed and disp Government.	osition d	etermined with	mn 30 caiendar c	ays upon					
matcomcon	transmitted via E figmngmnt@mate	com.usmo	ine following i.mil	audicss.						
	-									
stribution Ct	otomont A . A	morrod f	nuhlia1	Almandtanal :	د - ع: م ن اسر				<u></u>	
a ioution St	atement A: Appr	iovea for	public release	e, distribution is t	imited	_				
							+ $-$			
							-			
							₩ :			
								- ·· 		
									·	
										!
							ļi			İ
							1		 	1
						<u></u>	ļ		<u> </u>	
						<u>.</u>	-	<u></u>		
							+-		 	ŧ
							1		 	
						<u> </u>				
							1		·	
							<u> </u>			1
										1
HEPAKEU BY			H. DATE	ADDDOVED	ov	15. TOTAL	0	1	0	
11.0	OD.	\mathcal{L}^{t}		I. APPROVED			J. DATE	:		!
J//me	J. MARIC	1601	9Dec	99 41	· last	W/m/ld	19%	01 6	99	
	CO × 1201 11111	1 A 1					. , 1/			

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Average 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply, with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

				×	TM 0TUED	C. CATEGORY:	T	B. EXHIBIT	ITEM NO.	. CONTRACT LINE I
1			_		F. CONTRA		E. CONTRACT/PI	78/TTC	one Sign, CV-347	D. SYSTEM/ITEM
17. PR				<u> </u>	3. SUBTITLE			70/110	2. TITLE OF DATA ITEM	DATA ITEM NO.
		nt	ageme	Configuration Mar			st For Waiver	Reques		A002
18. ES To			(825)	6. REQUIRING OFFICE MCLBA		SOW 3,3	5. CONTRACT REFER		ition Document No.) CMAN-80641B	. AUTHORITY (Data Acquisid DI-C
]			1	14. DISTRIBUTION	BMISSION BLK 16	12. DATE OF FIRST SUI	cy ASREQ	10. FREQUENC	8. DIST STATEMENT REQUIRED	LT
┧┕	b, COPIES Final			a. Addressee		13. DATE OF SUBSECU		11. AS OF DAT	_	. APP CODE
]:	Repro	Reg	Draft			SUBMISSIUM			A	
<u>)</u>	0	1	0	MCLBA (825-2)					akam Kamusak ia	I. REMARKS
-									ctor format is auth	
-					eliver on	authorization to d cribed configuration	to obtain aut meet prescrib	ubmitted loes not r	RFWs shall be so g material which d	onconforming ocumentation.
-									reviewed and disp Government.	
1									transmitted via E figmngmnt@matc	
1		-			is unlimited				atement A: Appr	
_							r		rr-	
_										
	<u></u>									
1										
1										
-										
1	ļ									
]										
_										
-	<u> </u>	\longrightarrow								
	<u> </u>									
4	—	\longrightarrow								
\dashv_{\perp}										
∃ i										
1										
]				TOTAL AND		•				
1 ¦		\Box								
- 	 	\longrightarrow								
- i		\longrightarrow	\vdash							
-			 							
<u> </u>	0	1	0	15. TOTAL						
1 !			J. DATE	17	VED BY	I. APPROV	H. DATE	A A	<i></i>	PREPARED BY
		Q		Kla AX	. /	66	9 Dec	1 lin	& BANN	11/23/11
	OG	Α . (13.	· · · · / * / . /						